CV 4029

MIL-E-1/175C
14 May 1956
SUPERSEDING
MIL-E-1/175B
26 October 1954

INDIVIDUAL MILITARY SPECIFICATION SHEET

ELECTRON TUBE, RECEIVING, PENTODE, SUBMINIATURE

JAN-5902

This specification sheet forms a part of the latest issue of Military Specification MIL-E-1.

Description: Pentode, Beam Power

Ratings: Absolute Maximum:	™ V 6.6	Tb Vdc 165	Ecl Vdc 0	Ec2 Vdc 155	200 200 200	Ek ohms	Rgl Meg 0.55	Ik mAdc 50	Pp W 3.7	Pg2 W 0.4	T Envelope °C #220	ft 60,000	
Minimum:	6.0		- 55									Note 2	
Test Cond.:	6.3	110	0	110	. 0	270			-				

Pin No.: 1 Element: gl

Cathode: Coated Unipotential Beam: Subminiature 8-Pin with long leads

Mameter: 0.400 in. max. Height: 1.75 in. max.

Envelope: T-3

OF MIRCE	llaneous requirements, see P	aragraph 3.3, Inspection In		Insp.	Mectron	Tubes.						
ef.	Test	Conditions	AQL(≸)	Level	Sym.	Min.	LAL	LIMIT		Max.	ALD	Unite
	Qualification Approval Te	sts										
.1	Qualification Approval:	Required for JAN Marking										
	Cathode:	Coated Unipotential										
3.4.3	Base Connections:			-								
	Measurements Acceptance T	ests, Part 1, Note 3										
.10.8	Heater Current:	Note 4			If:		432	450	468		36	m.A.
.10.8	Heater Current:		0.65	II	If:	420				480		m▲
.10.15	Heater-Cathode Leakage:	Ehk=/100Vdc} Ehk=-100Vdc}	0.65	II	{Ihk: Ihk:	=			=	15 15	=	uAdc uAdc
.10.6.1	Grid Current:	Rgl=1.0Meg	0.65	II	Icli	0				-1.0		uAdc
.10.4.1	Plate Current(1):	Note 4			Ib:		27.0	30.0	33.0		g.0	mAdc
.10.4.1	Plate Current(1):		0.65	II	Ib:	23.0				37.0		mAdc
.10.4.1	Plate Current(2):	Ecl=-40Vdc; Ec=0	0.65	II	Ib:					100		uAdc
.10.16.1	Power Output(1):	Esig=6.4Vac; Rp=3000	0.65	II	Po:	0.75						٧
-7-5	Continuity and Shorts: (Inoperatives)		0.4	II								
.9.1	Mechanical:	Envelope: (8-4)				-						
	Measurements Acceptance T	ests Part 2										
.8	Insulation of Electrodes:	gl-all p-all	2.5	I	R:	50 50		=				Meg Meg
.10.4.3	Screen Grid Current:		2.5	I	Ic2:	0				4.0		mAdc
.10.9	Transconductance:	Note 4			Sm:	_	3850	4200	4550		950	umho
.10.9	Transconductance:		2.5	ı	Sm:	3500				4900		umho

CV4029

Ref.	Test	Conditions	₩ (\$)	Insp. Level or Code	Sym.	Min. LAL Bogie U.L. Max. ALI						Units
	Measurements Acceptance	Tests Part 2(Contd)		0000								
4.10.6.1	Grid Current(2):	Mf=7.5V; Mcl==140Vdc; Rgl=1.0Meg; Mc=0; Note 20	2.5	I	Icl:	0			_	-2.0		uadc
4.10.16.1	Power Output(2):	Ef=5.7V; Esig=6.4Vac; Rp=3000; Note 23			A Po	_		_		15	_	*
4.10.3.2	AF Noise:	Esig=150Vac; Ecc2=110Vdc; Ecl=8.7Vdc; Ecc0; Ep=2000; Ecl=0.5Meg; Eg2=10,000; Gg2=4.0uf	2.5	I	EB:					17	-	₩
4.10.14	Gapacitance:	0.405 in. dia. Shield 0.405 in. dia. Shield 0.405 in. dia. Shield	6.5	Code	Cout:	5.5 6.5	=	=	=	0.20 7.5 8.5	Ξ	uuf uuf uuf
4.10.10	Plate Resistance;		6.5	IA	rpı	0.01						Nog
	Low Pressure Voltage Breakdown:	Pressure=55/5mm Hg.; Voltage=300Vac; Note 6	6.5	Note 5								-
4.9.20.3	Wibration(1):	No Voltages; Post Shock and Fatigue Test End Points apply	10.0	Note 5		-	-				-	
4.9.19.1	Vibration(2):	Ep=2000; Ok=1000uf; F=40cps; G=15; Note 7	2.5	ı ·	Eps					100		n V ac
- 1	Degradation Rate Accepta	nce Tests Note 8										
4.9.5.3	Subminiature Lead Fatigue:	Note 9	2.5	Code		14					-	arcs
4.9.20.5	Shocks	Hammer angle=30°; Ehk=#100Vdc; Egl=0.1Meg; Note 10	20	-		-					_	_
4.9.20.6	Fatigue:	G=2.5; Fixed Frequency; F=25 min., 60 max.	6.5	Note 5		-		-	-			
	Post Shock and Patigus Test End Points:	Vibration(2) Heater-Cathode Leekage Enk=f100Vdc Enk=100Vdc Change in Power Output(1) of individual tubes	=	=	Ihk: Ihk: Ihk: A Po:	=	=	=	=	300 140 140 20	=	mVac uade uade
	Glass Strain:	Note 11	6.5	I		_				_	-	
Ref.	Test	Conditions	aqt (\$)	Insp. Level or Oods	Chara lst Sample	per cterist			Sym.	LIMI Min.	TS Nax	Unite
	Acceptance Life Tests No	te 8										
	Stability Life Test: (1 hour)	Fb=Ec2=100Vdc; Enk= \$\frac{2}{200\text{Vdc}; Eg1=0.47\text{meg};}\$\$ Bc=220; Ta=Room; Note 13	1.0	Code		-	_			-	-	
	Stability Life Test End Points:	Change in Power Output (1) of individual tubes				-	-	4	Po;		10.0	*
-	Survival Rate Life Test:	Stability Life Test Conditions or equi- walent; TA-Room; Notes 14,15		11								
4.11.4	Survival Rate Life Test End Points:	Continuity and Shorts (Inoperatives) Power Output(1)	0.65			-	_		Por	0.65	-	v
4.11.7	Heater Oycling Life Test:	Mr=7.0V; 1 min. on; 4 min. off; Mrk=140Vac; Ecl=Ec2=Hb=0; Note 12	2.5	Code H		-	_			_	-	

Ref.	Test	Conditions	TOT (%)	Insp. Level Or	Allowable Defectives per Characteristic		Sym.	LIMITS		Units
				Code	lst Sample	Combined Samples		Min.	Max.	
	Acceptance Life Tests Not	e 8(Contd)								
4.11.4	Heater Cycling Life Test End Points:	Heater-Cathode Leakage Enk=-100Vdc Enk=-100Vdc	=	=	==	= 1	Ihk:		40 40	uAde
4.11.5	Intermittent Life Test:	Stability Life Test Conditions; T Envelope= \$22000 min; Notes 16,17; 1000 Hour Requirements do not apply								
4.11.4	Intermittent Life Test End Points; (500 Hours): Note 16	Note 18 Inoperatives; Note 19 Heater Current Heater-Cathode Leakage	=	=	1 2	3 · 5	If:	414	492	m▲
		Thk=/100Vdc			2	5	Ihk:		60 60	uAdc
		Grid Current Change in Power Output(1) of individual tubes from initial	=	==	1	3	△ Po:		-2.0 20	uAdc
		Power Output(1) average change					Avg A Po:		15	%
- 1		Insulation of Electrodes gl-all p-all		-	2	5	{ B: B:	25 25	=	Meg
		Power Output(2)			2	5	△ Pr		15	\$
		Total Defectives			7‡	g	-			
4.11.5	Information Life Test: (1000 Hours)	Intermittent Life Test Conditions; Notes 17,21, 22								
4.9.18.1.1	Packaging Requirements Carton Drop:	(d) Package Group 1; Carton Size D	!							

Caution to Electron Equipment Design Engineers. Special attention should be given to the temperature at which the tubes are to be operated. Reliability will be seriously impaired if maximum bulb temperature is exceeded. The life expectancy may be reduced if conditions other than those specified for life test are imposed on the tube and will be reduced appreciably if absolute maximum ratings are exceeded. Both reliability and performance will be jeopardized if filement voltage ratings are exceeded. If and reliability of performance are directly related to the degree that regulation of the heater voltage is maintained at its center rated voltage.

- Note 1: The reference point for heater-cathode potential shall be the positive terminal of the cathode resistor.
- Note 2: If altitude rating is exceeded, reduction of instantaneous voltages (Ef excluded) may be required.
- Note 3: The AGL for the combined defectives for attributes in Measurements Acceptance Tests, Part 1, excluding Inoperatives and Mechanical shall be one (1) percent. A tube having one (1) or more defects shall be counted as one (1) defective. MIL-STD-105, Inspection Level II shall apply.
- Note 4: Variables Sampling Procedure:

Test for Lot-Average Acceptance:

Select a 35 tube sample at random from the lot. Number these tubes consecutively.

Determine the numerical average value of the characteristic as specified on the specification sheet of the 35 tube sample. If this value is on or above the LAL and on or below the UAL, accept for Lot Average.

Test for Lot Dispersion Acceptance:

Divide the 35 tube sample into seven (7) consecutive sub-groups of five (5) tubes each. Determine the range, R, of each sub-group for the measured characteristic specified on the Specification Sheet.

Compute the numerical average of the R values which is equal to \overline{R} . If \overline{R} is equal to or less than the ALD, accept for Lot Dispersion.

Note 5: This test shall be conducted on the initial lot and thereafter on a lot approximately every 30 days. Once a lot has passed, the 30-day rule shall apply. In the event of lot failure, the lot shall be rejected and the succeeding lot shall be subjected to this test. MIL-STD-105, sample size code letter F shall apply.

JAN-5902

CV4029

- Tubes shall be tested in a chamber under the conditions of pressure specified on the specification sheet. The specified voltage shall be applied between the leads of elements carrying B/ voltage and the adjacent leads. Voltage shall be of simmedial wave form with F = 50 cycles. These showing evidence of corons orating shall be considered defective.
- Note 7: The impedance of the plate and screen voltage supplies shall not exceed that of a 40 uf capacitor at 10 cps
- Note 5: Destructive tests:

Tubes subjected to the following destructive tests are not to be accepted under this specification.

4.9.5.3 4.9.20.5 4.9.20.6 4.11.7 4.11.5 Subminiature Lead Fatigue Shock Fatigue Heater-Cycling Life Test Intermittent Life Test

- When a manufacturer submits tubes for qualification approval, five extra tubes shall be submitted for lead fatigue testing. These may be electrical rejects.
- Note 10: Leads may be clipped for application of voltages during impact.
- Note 11: Glass strain procedures All tubes subjected to this test shall have been scaled a minimum of 48 hours prior to conducting this test. All tubes shall be at room temperature tymediately prior to beginning this test. The entire tube shall be immersed in water at not less than 970 for 15 seconds and immediately thereafter immersed in water at not more than 500, for 5 seconds. The volume of water shall be large enough that the temperature will not be appreciably affected by the test. The method of submersion shall be in accordance with Brawing \$245-JAM and such that a minimum of heat is conducted away by the holder used. The tubes shall be so placed in the water that no contact is made with the containing vessel, nor shall the tubes contact each other. After the 5-second submersion period at 500, the tubes shall be removed and allowed to return to room temperature on a wooden surface. After drying at room temperature for a period of 48 hours tubes shall be inspected and rejected for evidence of air leaks (Parag. 5.3.6.1, Inspection Instructions for Electron Tubes). Electrical rejects, other than inoperatives, may be used in the performance of this test.
- Note 12: The no load to steady state full load regulation of the heater voltage supply shall be not more than 3.0 percent. This test shall be made on a lot by lot basis. A failure or defect shall consist of an open heater, open cathods circuit, bester-cathods short, or heater-cathod eleakage in excess of the specified Heater-Cycling Life Test End Point limit.

Note 13: Stability Life Test:

- a. Life test samples shall be selected from a lot at random in such a manner as to be representative of the lot. I such salection results in a sample containing tubes which are outside the initial specification sheet limits for the relevant life test end point characteristics, such tubes shall be replaced by randomly selected acceptable tubes.
- Serially mark all tubes from the sample.
- Record referenced characteristic measurements after a maximum operation of 15 minutes under specified voltage and current conditions on the entire sample.
- Operate at life test conditions for one (1) hour (plus 30 minutes, minus 0 minutes). Life test shall be conducted as per paragraphs 4.11 and 4.11.5, MIL-E-1, except that the following shall be substituted for the third sentence of 4.11; The mean electrode potentials, except heater, may be established at values differing by not more than 5% from the specified values provided the same average electrode dissipations are obtained that occur with the specified voltages. Ructuations of all voltages including heater voltage shall be as small as practical.
- e. Record referenced characteristic measurements at the end of this test period. Referenced characteristic measurements shall be taken immediately following the test or tubes shall be preheated 15 minutes under specified test voltage and current conditions, and immediately measured. The 15 minutes preheat shall be considered as part of the test time.
- f. A defective shall be defined as a tube having a change in referenced characteristic greater than that specified on the specification sheet.
- g. A resubmitted lot must be subjected to all Measurements Acceptance Tests except Mechanical Inspection, Vibration, and Low Pressure Voltage Breakdown tests.
- Note 14: MEANS OF ASSURING SURVIVAL RATE The procedure for assuring the maintenance of a desirable quality level in terms of early life survival consists of a series of normal, reduced, and tightened inspection plans for use at 100 hours. The sample size is dependent upon lot size, and the transfer between normal, reduced, and tightened inspection is dependent upon quality history.

The selection of inspection scheme and sampling plan shall be in accordance with Inspection Instructions for Electron Tubes paragraph 5.3.4.2 through 5.3.4.3.1.3 inclusive except that paragraph 5.3.4.2.2 shall be modified by deleting the last part of the first sentence which states "...or if no lot in the last 20 lots inspected shall have been declared nonconforming for life test qualities". At the sammfacturer's option, reduced inspection may be used if no lot in the last ten (10) lots inspected shall have been declared nonconforming.

- a. Select sample in accordance with Note 13, Paragraph (a).
- Tubes to be tested at 100 hours as provided in MIL-E-1(4.7.5). When any tap-short indication is obtained, the test shall be repeated. When any short indication is again obtained, the tube shall be rejected as an inoperative.
- c. Determine the number of defective tubes at the 100 hour period.
- d. If more than the allowable number of defectives, occur, declare the lot nonconforming,
- ▲ resubmitted lot must be subjected to all Measurements Acceptance Tests except Mechanical Inspection, Vibration, and Low Pressure Voltage Breakdown tests.

JAN-5902

For Survival Rate Life Test, the equivalent Stability Life Test conditions shall be interpreted as having the same heater voltage (Ef) and heater-cathode voltage (Eh) as the Stability Life Test; and the same interruptions of MIL-B-1 paragraph 4.11.5 as the Intermittent Life Test. The electrode voltages shall be such that the element dissipations are not less than 50 percent, nor more than 100 percent of Stability Life Test Plate Dissipation. These voltages are to be maintained within the limits of 50 and 200 percent of the Stability Life Test voltages. Note 15:

Note 16: Intermittent Life Tests:

- The first 20 tubes of the Stability Life Test sample which meet the measurements acceptance test limits for those characteristics specified as Intermittent Life Test End Points may be used for the Intermittent Life Test sample. In the event that a second Stability Life Test sample is used, the first 20 tubes from that rample which meet the above conditions shall be used.
- In the event of failure of the first sample on Intermittent Life Test, take a completely fresh sample (MIL-STD-105 sample size code letter I) and stabilize it in accordance with the conditions of the Stability Life Test. Then select from it the first 40 tubes which meet the measurements acceptance test limits for those characteristics specified as Intermittent Life Test End Points.

 Subject these 40 tubes to the Intermittent Life Test. Acceptance shall then be based on combined results from the first and second samples.

- c. As an alternate method, the manufacturer may select his life test samples as described in Note 13, paragraph (a).
- Regular life test shall be conducted for 500 hours and acceptance shall be on the basis of the requirements indicated on the Specification Sheet.
- e. The life test sample shall be read at the following times:

0 hours 500 hours (plus 48 hours; mimus 24 hours)

Additional reading periods may be used at the discretion of the electron tube manufacturer.

- Acceptance Oriteria: The lot shall be considered satisfactory for acceptance provided that the specified allowable defects are not exceeded and the change of the average of any characteristic in the life test sample specified for life test control of averages is not exceeded. The average percentage change shall be ascertained from the determination of the individual changes for each tube in the life test sample from the zero (o) hour value for the referenced characteristic or characteristics. For purposes of computation of this average percentage change, the absolute values of the individual changes for each tube in the life test sample shall be used. Any tube found inoperative during life testing shall not be considered in the calculation of this average.
- g. A resubmitted lot must be subjected to all Measurements Acceptance Tests except Mechanical Inspection, Vibration, and Low Pressure Voltage Breakdown.
- h. Not more than one (1) accidental breakage shall be allowed in the life test sample. If one (1) life test tube is accidentally broken, acceptability of the life test sample shall be based upon the remaining tubes in the sample provided that the broken tube was not known to be a defective.
- Envelope Temperature is defined as the highest temperature indicated when using a thermocouple of f^{10} BS or smaller diameter elements welded to a ring of .025 inch diameter phosphor bronze in contact with the envelope. Envelope Temperature requirement will be satisfied if a tube, having bogie Ib (f_{2} %) under normal test conditions, is determined to operate at minimum specified temperature at any position on the life test rack. Note 17:
- Order for evaluation of life test defects: If a tube is defective for more than one attribute characteristic, the lowest numbered characteristic in this table, for which the tube failed, shall constitute the failure. Note 18:

Note 19:

- (1) Inoperative
 (2) Heater Current
 (3) Grid Current
 (4) Change in Power Cutput(1) Po
 (5) Power Cutput(2) Po
- (6) Heater-Cathode Leakage (7) Insulation of Electrodes
- An inoperative as referenced in Life Test is defined as a tube having one (1) or more of the following defects discontinuity (Ref. MIL-E-1, par. 4.7.1), shorts (Ref. MIL-E-1, par. 4.7.2), air leaks (Ref. Inspection Instructions for Electron Tubes, par. 5.3.6.1).
- Prior to this test, the tube shall be preheated a minimum of five minutes at the conditions indicated below. Three minute test is not permitted. Test at preheat conditions within 3 seconds after preheating. Grid Current(2) shall be the last test performed on the sample selected for the Grid Current(2) test. Note 20:

Ef	Ecl	Ec2	Ec3	Eb	Rk	Rgl
▼	Vdc	Vdc	Vdc	Vdc	ohms	Meg
7.5	0	100	0	100	ohms 220	0.47

- Note 21: On Information Life Tests, read same characteristics as for Intermittent Life Test. Limits do not apply. Six (6) copies of these data shall be forwarded to the Armed Services Electron Tube Committee for their information and file.
- This life test shall be conducted on a minimum of one sample of ten tubes each month of production. This sample shall be selected as the first ten serially marked operative tubes from a completed Intermittent Life Test sample. This life test shall be classified as a destructive test. Read at 1000 hours. Note 22:
- Note 23: Fower Output (2) is the percent change in Power Output (1) of an individual tube resulting in the change in Ef.
- Note 24: Reference specification shall be of the issue in effect on the date of invitation for bid.

Issue No.1

VALVE ELECTRONIC

CV4029

Valve

UNCLASS IFIED

SECURITY

DIMENSIONS See K.1006. T3
Outline 8-4.

MIN.

1.39"

MOUNTING POSITION Any.

MAX.

1.75" 1.51" 0.4"

DIMENSIONS

A B C

Specification

UNCLASSIFIED

MINISTRY OF SUPPLY D.L.R.D/R.A.E.

Specification M.O.S./CV.4029 incorporating MIL-E-1/175C.

Dated 21.5.58

To be read in conjunction with BS.1409 and K.1006.

CATHODE:	Sub miniature Power Ar with flying leads. Indirectly heated.	MARKING See K.1001/4 Additional Marking 5902.					
ENVE LOPE:	Glass.			Additional Marking 550			
PROTOTYPE:	5902 RATINGS limiting values are absorbed	olute)		BASE B8D (Sub miniature 8 pin with flying leads.)			
Heater Voltage Heater Current Max. Operating Max. Operating Max. Screen Diss Max. Screen Diss Max. Cathode Cu Max. Heater Cat Max. Bulb Tempe Typi Anode Volts Cathode Resista	Screen Voltage ipation sipation rent node Voltage rature cal Operating Conditions	(V) (mA) (V) (W) (MA) (OC)	6.3 450 165 155 3.7 0.4 50 200 220	CONNECTIONS Lead 1 Control Grid g 2 Cathode + Suppressor 5 Heater h Cathode + Suppressor 5 Anode a 6 Heater h 7 Screen Grid g 2 8 Cathode + Suppressor k + Suppressor control Grid cathode + Suppressor cathode cathode + Suppressor cathode cathode cathode cathode + Suppressor cathode cathod	g3		
Anode Current Screen Current Mutual Conducta		(mA) (mA) (mA/V)	30 2 4.2	DIMENSIONS See K.1006. T3			

NOTES

(呼) (呼) (呼)

0.2 6.5 7.5

Measured with a close fitting metal screen.

Capacitances (Note A)

Cag (max.) Cin (nom.) Cout (nom.)